USB 3.0 to Ethernet Adapter

User Manual

IA-UED0
IA-UED1

USB 3.0 to Ethernet (Gigabit) Adapter

INTRODUCTION

The USB 3.0 to Ethernet Adapter provides users to launch Internet with easy installation and lower power consumption via the USB interface. The adapter is compliant to USB3.0, which contribute to the high compatibility and hence strengthen the brilliant transfer performance.

The device is compatible to USB 3.0 and 2.0 / 1.1. Along with complying 802.3, 802.3u, 802.3ab and 802.3az standard, users are allowed to add the networking compatibility to the computer in any environment that encountered.

A:

B:

FEATURES

- Compliant USB3.0 and USB2.0 / USB1.1 specification
- IEEE 802.3, 802.3u, 802.3ab , 802.3az (10BASE-T/100BASE-TX/1000BASE-T) compatible
- Supports both Full-duplex with flow control and Half-duplex with backpressure operation
- Supports Wake-on-LAN
- Supports IEEE 802.1Q VLAN tagging and 2 VLAN ID filtering; received VLAN Tag (4 bytes) can be stripped of or preserved
- Supports advanced link down power saving when Ethernet cable is unplugged
- Supports Windows XP, Vista , 7, 8
- Supports MAC OS 10.6/10.7/10.8 for x86 and Power PC

SPECIFICATIONS

Function	
Model No.	**IA-UED0, IA-UED1**
Port	1 *10/100/1000 Mbps RJ-45 port 1 * USB 3.0 A/M Connector
Operating System Support	Windows XP, Vista , 7 , 8, Mac
Standards	USB 1.1/2.0/3.0 IEEE802.3 for 10BASE-T IEEE802.3u for 100BASE-TX IEEE802.3ab for 10BASE-T IEEE 802.3az for 10BASE-T and 100BASE-TX
LED Indication	**Link:** Green **Activity:** Yellow **Off:** No valid link
Input Power	BUS power
Power Consumption	5V / 900mA(max)
Operating temperature	0 ℃ ~ 40 ℃
Storage temperature	-20 ℃ ~ 60 ℃
Operating humidity	**< 80% R.H.**
Storage humidity	**< 60% R.H.**
Weight	27g
Dimension (L x W x H)	A:66.99x25.98x15.50 (mm), B:67.98x20.95x14.5 (mm)

PACKAGE CONTENTS

USB 3.0 to Ethernet Adapter x 1

Driver CD x 1

User Manual x 1

SOFTWARE INSTALLATION

Windows

XP / 7 / 8

1. Please insert the CD into your computer's CD-ROM or DVD drive.
2. When the AutoPlay screen appears, click Run Setup.exe.

3. Please follow the installation step by step.

4. When the following screen appears, click Finish.



MAC

1. Please insert CD into your computers CD-ROM or DVD drive and follow these steps. Click Setup → Mac folder → ax88179.dmg → ax88179_v1.1.0.





2. Please follow the process of installation step by step.



3. When the following screen appears, click Restart.


Install AX88179 USB Ethernet Adapter Driver
The installation was completed successfully.
Introduction
Destination Select
Installation Type
Installation
Summary
The installation was successful.
The software was installed.
Click Restart to finish installing the software.
Go Back
Restart